

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,259	11/21/2003	Edward Paul Carlin	9437Q	2809
27752	7590 04/17/2006		EXAMINER	
THE PROCTER & GAMBLE COMPANY INTELLECTUAL PROPERTY DIVISION WINTON HILL TECHNICAL CENTER - BOX 161 6110 CENTER HILL AVENUE CINCINNATI, OH 45224			HAND, MELANIE JO	
			ART UNIT	PAPER NUMBER
			3761	
			DATE MAILED: 04/17/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

			· · · · · · · · · · · · · · · · · · ·			
		Application No.	Applicant(s)			
Office Action Summary		10/719,259	CARLIN ET AL.			
		Examiner	Art Unit			
		Melanie J. Hand	3761			
Period fo	The MAILING DATE of this communication appor Reply	ears on the cover sheet with the c	correspondence address			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DYNSIONS of time may be available under the provisions of 37 CFR 1.15 SIX (6) MONTHS from the mailing date of this communication. Depriod for reply is specified above, the maximum statutory period vere to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. (D) (35 U.S.C. § 133).			
Status		•				
1)⊠	Responsive to communication(s) filed on <u>01 Fe</u>	ebruary 2006.				
2a)⊠	This action is FINAL. 2b) This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.			
Dispositi	ion of Claims					
4)⊠	Claim(s) <u>1-19</u> is/are pending in the application.					
•	4a) Of the above claim(s) is/are withdraw					
5)	Claim(s) is/are allowed.					
6)⊠	☑ Claim(s) <u>1-19</u> is/are rejected.					
7)	Claim(s) is/are objected to.		*			
8)□	Claim(s) are subject to restriction and/or	r election requirement.				
Applicati	ion Papers	•				
9)	The specification is objected to by the Examine	r.				
•	The drawing(s) filed on is/are: a) acce		Examiner.			
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).			
	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).			
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority ι	under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicativity documents have been received in Rule 17.2(a)).	ion No ed in this National Stage			
			· .			
Attachmen			(DTO 140)			
2) Notice	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date 2/2/06.	4)				

DETAILED ACTION

Response to Arguments

Applicant's arguments filed February 1, 2006 with respect to the double patenting rejection of claims 1-19 are moot in view of the filing of a terminal disclaimer on February 1, 2006.

Applicant's arguments with respect to claims 1-19 have been considered but are moot in view of the new ground(s) of rejection. Examiner asserts that Schoelling does in fact teach both that the vertices are evenly spaced, and that there are multiple widths between a first and second distal vertex. The vertices are evenly spaced apart owing to their identical shapes and dimensions with respect to one another and, because they are all identically tear-shaped, there exist multiple widths between those vertices, and those multiple widths are equal in magnitude to the corresponding width between a second set of adjacent vertices.

Terminal Disclaimer

The terminal disclaimer filed on February 1, 2006 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of any patent granted on Application No. 10/719,785 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Page 3

The information disclosure statement (IDS) submitted on February 2, 2006 was filed after the mailing date of the Application on November 21, 2003. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Schoelling (*859).

With respect to Claims 1,10: Schoelling teaches a tampon made of compressed fibrous material with an insertion end, a recovery end, longitudinal and radial axes, and an outer surface with longitudinal ribs (first and second surfaces) that form vertexes in both the distal and proximal portions of the tampon wherein a vertex is defined as a point of intersection of lines. (¶ 0009)

With respect to Claims 2,11,12: The vertices are parallel with both the longitudinal and horizontal axis as shown in Figures 1 and 2 taught by Schoelling.

With respect to Claims 3,4,13,14: The surfaces, grooves and ribs taught by Schoelling are indeed spirally shaped, and the vertices are evenly spaced. (Fig. 1, ¶ 0009)

Art Unit: 3761

With respect to **Claims 5-7,15-17**: The tampon taught by Shoelling can either have a uniform density over a cross-section or ribs that extend radially outward from a highly compressed core (¶ 0009), producing a tampon cross-section exhibiting varying density.

With respect to Claims 8,9,18,19: Schoelling teaches recovery tape 35 as well as a finger indent on the recovery end of the tampon. (Fig. 1, ¶ 0040)

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie J. Hand whose telephone number is 571-272-6464. The examiner can normally be reached on Mon-Thurs 8:00-5:30, alternate Fridays 8:00-4:30.

Art Unit: 3761

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on 571-272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Melanie J Hand Examiner Art Unit 3761

MJH

TATYANA ZALUKAEVA SUPTTY JOTY PRIMARY EXAMINER